	Application No.	Applicant(s)
Notice of Allowability	10/763,330	FEMMINELLA, GIOVANNI
	Examiner	Art Unit
	Jessica Laux	3635
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the election of species dated July 25, 2006.		
2. The allowed claim(s) is/are <u>1-27</u> .		
 3.		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF		
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of		
each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Notice of lafe	rmal Patent Application (PTO-152)
 Notice of References Cited (P10-692) Dotice of Draftperson's Patent Drawing Review (PTO-948) 	6. ☐ Interview Sun	• • • • • • • • • • • • • • • • • • • •
	Paper No./M	ail Date .
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 09/12/2005 		mendment/Comment
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. 🛛 Examiner's St	tatement of Reasons for Allowance
•	9.	

Application/Control Number: 10/763,330

Art Unit: 3635

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

On page 5, line 5 -- change "bracket" to "lattice" --

Rejoinder of Restriction

Claims 1-27 are allowable. All claims previously withdrawn from consideration as a result of a restriction requirement, include all the limitations of an allowable claim. Pursuant to the procedures set forth in MPEP § 821.04(a), the restriction requirement between inventions species I – species VIII, as set forth in the Office action mailed on 05/25/2006, is hereby withdrawn and claims drawn to the non-elected invention are hereby rejoined and fully examined for patentability under 37 CFR 1.104. In view of the withdrawal of the restriction requirement, applicant(s) are advised that if any claim(s) including all the limitations of an allowable claim is presented in a continuation or divisional application, such claims may be subject to provisional statutory and/or nonstatutory double patenting rejections over the claims of the instant application. Once the restriction requirement is withdrawn, the provisions of 35 U.S.C. 121 are no longer applicable. See *In re Ziegler*, 443 F.2d 1211, 1215, 170 USPQ 129, 131-32 (CCPA 1971). See also MPEP § 804.01.

Application/Control Number: 10/763,330

Art Unit: 3635

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: the prior art does not teach or suggest prefabricated components for making floors or walls that comprise all of the features including: laminated panels with grooves on the edges; laminated wood joists with a ridge on the upper region; metallic lattices; and casting conglomerate coupling all of the elements together.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jessica Laux whose telephone number is 571-272-8228. The examiner can normally be reached on Monday thru Friday, 8:30am to 4:00pm (est).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Naoko Slack can be reached on 571-272-6848. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/763,330

Art Unit: 3635

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

U

JL 08/28/2006